


4

3

2

1



NOTES : UNLESS OTHERWISE SPECIFIED


1 RECOMMENDED BOLT : M4 with 8mm OD Diameter washer.

2


M12, 4-Pin, T-Coded, Male Connector	
PIN#	Description
1	RS232_TX
2	RS232_RX
3	BATT+
4	BATT- (RS232_GND)

3

M12, 8-Pin, X-Coded, Female Connector	
PIN#	Description
1	DA+
2	DA-
3	DB+
4	DB-
5	DD+
6	DD-
7	DC-
8	DC+



A



DIMENSIONS ARE IN INCHES [mm]

UNLESS OTHERWISE SPECIFIED IN DRAWING TOLERANCE ON:

X.XXX [.XX] ±0.005 [0.13]  
 X.XX [X.X] ±0.01 [0.25]  
 (X.XX [X.X]) ±0.04 [1.00]  
 ANGLES ±1.0°  
 Others follow ISO 2768-2, tolerance class K

PROPRIETARY AND CONFIDENTIAL				AXIOMATIC TECHNOLOGIES CORPORATION 1445 COURTNEY PARK DR E MISSISSAUGA, ON CANADA L5T2E3 905-602-9270				
THE INFORMATION CONTAINED IN THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY AND REMAINS THE EXCLUSIVE PROPERTY OF AXIOMATIC TECHNOLOGIES CORPORATION. THIS DRAWING MAY NOT BE USED, REPRODUCED IN WHOLE OR IN PART, NOR REVEALED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF AXIOMATIC TECHNOLOGIES CORPORATION. BY ACCEPTANCE OF THIS DRAWING, THE BEARER AGREES TO THESE CONDITIONS.				<b>AXIOMATIC</b> Global Electronic Solutions				
MATERIAL	ADC12	DRAWN	HS	DATE	2025-08-21	TITLE:	5 PORT GIGABIT ETHERNET SWITCH	
FINISH		QA		DATE		DWG REV	DWG NO	PART REV
						D2	AX140740-MD	P1
THIRD ANGLE PROJECTION	TOOL	APPROVED	DATE	SCALE	PART NO	SHEET	SHEET 1 OF 1	
	SOLIDWORKS			1:1	AX140740			
	SIZE							
	<b>B</b>							

4

3

2

1

B

A