




**DETAIL A**  
molded in TE Deutsch receptacle,  
based on DT04-08PA, mates  
with DT06-08SA



**unit label**

TOLERANCES			
fabrication		machining	
X.XXX +/- 0.015"		X.XXX +/- 0.005"	
X.XX +/- 0.031"		X.XX +/- 0.010"	
X.X +/- 0.031"		X.X +/- 0.015"	
fractional +/- 0.031"		fractional +/- 0.031"	

THE INFORMATION CONTAINED IN THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY AND REMAINS THE EXCLUSIVE PROPERTY OF AXIOMATIC TECHNOLOGIES CORPORATION. THIS DRAWING MAY NOT BE USED, REPRODUCED IN WHOLE OR IN PART, NOR REVEALED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF AXIOMATIC TECHNOLOGIES CORPORATION. BY ACCEPTANCE OF THIS DRAWING, THE BEARER AGREES TO THESE CONDITIONS.				AXIOMATIC TECHNOLOGIES CORPORATION 5915 WALLACE ST. MISSISSAUGA, ON CANADA L4Z1Z8 905-602-9270			
MATERIAL injection molded glass filled PA66 ultrasonically welded		DRAWN TF	DATE 2/4/2020	TITLE Dual Thermocouple Input Module, J1939			
		CHECKED	DATE	DWG REV D1	DWG NO AX188000-MD	PART REV 1	
		APPROVED	DATE	SCALE full	PART NO AX188000	SHEET 1 of 1	