

EU DECLARATION OF CONFORMITY

| Application of Council Directive(s): | 2014/30/EU – The EMC Directive |
|--------------------------------------|--|
| Manufacturer's Name: | Axiomatic Technologies Corporation 1445 Courtneypark Drive E., Mississauga, ON, Canada L5T 2E3 |
| Equipment Type/Environment: | I/O Controller |
| Trade Names/Model Nos: | AX031800, AX031801 |
| Testing Facility: | UltraTech, 3000 Bristol Circle, Oakville, Ontario Canada L6H 6G4 and Elite Electronics Engineering Inc. 1516 Centre Circle, Downer's Grove, IL 60515 USA |
| File No.: | Elite Engineering Test Report No. 1902125-01, 2203471-03 UltraTech Report 22ATC068_EC42 |
| Records Maintained by: | Axiomatic Technologies Corporation 1445 Courtneypark Drive E., Mississauga, ON, Canada L5T 2E3. TEL: (+1) 905 602 9270 Unique ID No. – 53A |

Standard(s) to which Conformity is Declared:

Emissions:

- IEC 60945: 2002
 - Radiated Emissions (0.15 30 MHz: 80-50 dbuV/m; 30-100 MHz: 60-54 kbuV/m; 100-6000 MHz; 54 dbuV/m except 156-165MHz 24 dbuV/m) Test set up and methods per:
 - o CISPR 16-2-3:2010
- CISPR 16-2-3:2010
 - Conducted Emissions (10-150 kHz: 120-69 dbuV, 150-500 kHz: 79 dbuV, 0.5-30 MHz: 73 dbuV) Test set up and methods per: CISPR 16-2-1. 2010
- ANSI C63.4:2014 American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9KHz to
- CISPR 25:2008 Vehicles, boats and internal combustion engines- Radio disturbance characteristics- Limits and methods of measurement for the protection of on-board receivers

Immunity:

- Conducted Radio Frequency EN 61000-4-6:2013 Immunity to conducted disturbances, induced by radiofrequency fields: (150 kHz-80 MHz, 3 Vrms) Criteria A
 - Electromagnetic Field EN 61000-4-3: 2010 Radiated, radiofrequency, electromagnetic field immunity test: (80 – 6,000 MHz; 10 V/m; 80% AM, 1kHz) Criteria A
 - o Conducted Low Frequency (3 Vrms, 0.05 to 10 kHz) Criteria A
 - Electrical Fast Transients/Burst per EN 61000-4-4: 2012 Electrical fast transient/burst immunity test: (2 kV to power lines, 1kV to signal lines and communication lines, 300 ms) Criteria B



- Surge Test EN 61000-4-5: 2017 Surge immunity test: (+/- 0.5 kV L/L, +/- 1 kV L/E) Criteria B
- Immunity to Electrostatic Discharge EN 61000-4-2: 2008 Electrostatic discharge immunity test: (6kV contact discharge, 2kV, 4kV and 8kV air discharge) Criteria B
- CISPR 16-1-1:2010+A1:2010+A2:2014 Specifications for radio disturbance and immunity measuring apparatus and methods- Part 1-1: Radio disturbance and immunity measuring apparatus- Measuring apparatus
- CISPR 16-1-2:2003+A1:2004+A2:2006 Specifications for radio disturbance and immunity measuring apparatus and methods. Part 1-2: Conducted disturbances
- ISO 10605:2008 Road vehicles Test methods for electrical disturbances from electrostatic discharge
- ISO 11452-2:2004 Road vehicles Component test methods for electrical disturbances from narrowband radiated electromagnetic energy Part 2: Absorber-lined shielded enclosure
- CISPR 11452-8:2015 Road vehicles Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 8: Immunity to Magnetic fields
- ISO 7637-2:2011 Road vehicles Electrical disturbances from conduction and coupling Part 2: Electrical transient conduction along supply lines only
- ISO 16750-2:2012 Road vehicles Environmental conditions and testing for electrical and electronic equipment — Part 2: Electrical loads

I, the undersigned, hereby declare that the equipment specified above conforms to the above Directive and Standards.

Haaris Rehman

Product Compliance Analyst

Date: 2024-04-15